


Technical Objects Index


<i>Program</i>	<i>Description</i>	<i>Pages</i>
<CNTN01>	<i>Include program: Workflow macros for programming</i>	<i>256, 287, 289, 370, 374, 377, 532</i>
<OBJECT>	<i>Include program: Workflow macros for business objects</i>	<i>256, 532</i>
<i>RBBP_OFFLINE_EVAL</i>	<i>Receives email replies for work items executed via offline emails (EBP)</i>	<i>436</i>
<i>RHMOVE30</i>	<i>Transport Organizational Plan</i>	<i>128</i>
<i>RHMOVE50</i>	<i>Transport Organizational Plan via change request</i>	<i>128</i>
<i>RHWEGID00</i>	<i>Search for evaluation paths</i>	<i>286</i>
<i>RSWUWFML</i>	<i>Notification of work items via email</i>	<i>104, 436</i>
<i>RSWUWFMLEC</i>	<i>Notification of work items via email for EBP</i>	<i>436, 464</i>
<i>RSWWCIDE</i>	<i>Deletion of work items (for non-production systems only)</i>	<i>359</i>
<i>RSWWICOND</i>	<i>Execute work item rule monitoring</i>	<i>159</i>
<i>RVNSWE01</i>	<i>Event creation for Message Control</i>	<i>302</i>

<i>Transaction</i>	<i>Description</i>	<i>Pages</i>
<i>BC_DATA_GEN</i>	<i>Flight booking example data generation</i>	<i>189, 233</i>
<i>BF01</i>	<i>Display business transaction events</i>	<i>303</i>
<i>BF24</i>	<i>Display business products</i>	<i>303</i>




Additional material for „Practical Workflow for SAP“
ISBN 1-59229-006-X

<i>BF34</i>	<i>Customer modules per business transaction event</i>	<i>303</i>
<i>BSVW</i>	<i>Event linkage creation for status management</i>	<i>301</i>
<i>BWSP</i>	<i>Workflow Web Inbox (Internet Service)</i>	<i>130, 350</i>
<i>NACE</i>	<i>Event linkage creation for message control</i>	<i>301</i>
<i>OOAW</i>	<i>HR-Org Evaluation path maintenance??</i>	<i>285</i>
<i>PFAC</i>	<i>Rule maintenance (agent determination rules, and XML rules)</i>	<i>274, 275, 291, 394, 495</i>
<i>PFCG</i>	<i>Security Role Maintenance</i>	<i>80, 115, 125, 126</i>
<i>PFOM</i>	<i>Create assignments to SAP Org Objects</i>	<i>292</i>
<i>PFOS</i>	<i>Display assignments to SAP Org Objects</i>	<i>292</i>
<i>PFTC</i>	<i>Task/Task Group Maintenance</i>	<i>126, 190</i>
<i>PFTC_DIS</i>	<i>Display Task/Task Group</i>	<i>115, 125. 126</i>
<i>PPOM</i>	<i>Organization Plan (Organization and Staffing)</i>	<i>121</i>
<i>PPOMA_BBP</i>	<i>Organization Plan (EBP)</i>	<i>121</i>
<i>PPOMA_CRM</i>	<i>Organization Plan (CRM)</i>	<i>121</i>
<i>PPOMW</i>	<i>Organization Plan (Organization and Staffing – Workflow view)</i>	<i>121</i>
<i>SARA</i>	<i>Archiving configuration and scheduling</i>	<i>359</i>
<i>SBWP</i>	<i>Business Workplace</i>	<i>76, 87, 106, 130</i>
<i>SCAL</i>	<i>Factory calendar maintenance</i>	<i>472</i>
<i>SCOT</i>	<i>SAP to mail server configuration</i>	<i>503</i>
<i>SE37</i>	<i>Function module maintenance and test</i>	<i>291, 495</i>




Additional material for „Practical Workflow for SAP“
ISBN 1-59229-006-X

<i>SE38</i>	<i>ABAP Editor</i>	<i>255</i>
<i>SE63</i>	<i>Translation</i>	<i>217</i>
<i>SE80</i>	<i>Object Navigator</i>	<i>255, 350, 351</i>
<i>SICF</i>	<i>Maintain virtual hosts/services for WAS</i>	<i>343</i>
<i>SM12</i>	<i>Lock entry view/maintenance</i>	<i>529</i>
<i>SM37</i>	<i>Scheduled Job Selection</i>	<i>503</i>
<i>SM58</i>	<i>Transactional RFC monitor</i>	<i>386, 503</i>
<i>SMW0</i>	<i>SAP Web Repository maintenance</i>	<i>350</i>
<i>SO01x, SO01_OLD</i>	<i>Original R/3 inbox (pre 4.6x)</i>	<i>87</i>
<i>SO16</i>	<i>Shared SAPOffice settings</i>	<i>460</i>
<i>SO28</i>	<i>Inbound Distribution Settings</i>	<i>464</i>
<i>SPRO</i>	<i>IMG (Implementation Guide)</i>	<i>77</i>
<i>SU01</i>	<i>User master data</i>	<i>104,466</i>
<i>SWB_COND</i>	<i>Start conditions maintenance</i>	<i>309, 417, 527</i>
<i>SWDD</i>	<i>Workflow Builder</i>	<i>175</i>
<i>SWE2</i>	<i>Event type linkages</i>	<i>307, 316, 375, 526</i>
<i>SWE3</i>	<i>Event instance linkages</i>	<i>312</i>
<i>SWEC</i>	<i>Event linkage creation for change documents</i>	<i>299</i>
<i>SWEHR1</i>	<i>HR: Infotype to business object link</i>	<i>302</i>
<i>SWEHR2</i>	<i>HR: SAP delivered HR events per infotype/subtype/operation combination</i>	<i>302</i>
<i>SWEHR3</i>	<i>HR: Custom HR events per</i>	<i>302</i>




Additional material for „Practical Workflow for SAP“
ISBN 1-59229-006-X

	<i>infotype/subtype/operation combination</i>	
<i>SWEINST</i>	<i>Event instance linkages</i>	<i>494</i>
<i>SWEL</i>	<i>Event log</i>	<i>432, 494, 495, 496</i>
<i>SWELS</i>	<i>Activate/deactivate event log</i>	<i>432, 494, 495, 496</i>
<i>SWEQADM</i>	<i>Workflow event queue administration</i>	<i>312, 526</i>
<i>SWEQBROWSER</i>	<i>Workflow event queue browser</i>	<i>313</i>
<i>SWETYPV</i>	<i>Event type linkages</i>	<i>509</i>
<i>SWI1</i>	<i>Work Item Selection</i>	<i>142, 218, 388, 495, 505, 513, 515</i>
<i>SWI1_RULE</i>	<i>Execute rules for work items</i>	<i>155</i>
<i>SWI2_ADMI</i>	<i>Work Items without Agents</i>	<i>129, 155, 280</i>
<i>SWI2_DEAD</i>	<i>Work Items with Monitored Deadlines</i>	<i>136, 137, 522</i>
<i>SWI2_DIAG</i>	<i>Diagnosis of workflows with errors</i>	<i>158, 167, 503, 522</i>
<i>SWI2_DURA</i>	<i>Work Items by Processing Duration</i>	<i>136</i>
<i>SWI2_FREQ</i>	<i>Work Items by Task (Frequency)</i>	<i>136, 137</i>
<i>SWI5</i>	<i>Workload Analysis</i>	<i>129, 137</i>
<i>SWI6</i>	<i>Workflows for Object</i>	<i>135, 431</i>
<i>SWI14</i>	<i>Workflows for Object Type</i>	<i>135, 431</i>
<i>SWIA</i>	<i>Execute work item without agent check</i>	<i>155</i>
<i>SWO1</i>	<i>Business Object Builder</i>	<i>126, 226, 227, 297, 493, 494, 511</i>
<i>SWO3</i>	<i>Business Object Repository Browser</i>	<i>226</i>



Additional material for „Practical Workflow for SAP“
ISBN 1-59229-006-X

<i>SWPA</i>	<i>Customizing Workflow Runtime System</i>	<i>136</i>
<i>SWPC</i>	<i>Continue Workflow After System Crash</i>	<i>159, 524</i>
<i>SWPR</i>	<i>Workflow Restart After Error</i>	<i>143, 158, 522</i>
<i>SWU_EWBTE</i>	<i>Wizard for event creation from Business Transaction Events</i>	<i>303</i>
<i>SWU_OBUF</i>	<i>Refresh HR Buffers</i>	<i>131, 157, 285, 286, 516</i>
<i>SWU0</i>	<i>Simulate Event</i>	<i>307</i>
<i>SWU2</i>	<i>Transactional RFC monitor for workflow</i>	<i>528</i>
<i>SWU3</i>	<i>Workflow Customizing</i>	<i>73, 442, 503, 521</i>
<i>SWU8</i>	<i>Workflow trace activate/deactivate</i>	<i>387</i>
<i>SWU9</i>	<i>Display workflow trace</i>	<i>388</i>
<i>SWUD</i>	<i>Workflow Diagnosis</i>	<i>386, 387, 391, 493, 505</i>
<i>SWUE</i>	<i>Generate Event (for testing purposes)</i>	<i>432, 496, 524, 526, 527</i>
<i>SWUI</i>	<i>Start Workflow (i.e. ad-hoc start)</i>	<i>315</i>
<i>SWUI_VERIFY</i>	<i>Verification Workflows</i>	<i>76</i>
<i>SWUS</i>	<i>Start Workflow (Test environment)</i>	<i>156, 201, 315, 391, 494, 495, 528</i>
<i>SWUY</i>	<i>Wizard to link messages to workflow templates</i>	<i>317</i>
<i>SWWA</i>	<i>Configure and schedule work item deadline monitoring</i>	<i>158, 503</i>
<i>SWXML</i>	<i>WebFlow Engine XML document monitor</i>	<i>328, 390</i>



Additional material for „Practical Workflow for SAP“
ISBN 1-59229-006-X


<i>WF_EXTSRV</i>	<i>Configure external services for WebFlow Engine</i>	<i>335, 337</i>
------------------	---	-----------------

<i>Business Object</i>	<i>Description</i>	<i>Pages</i>
<i>AAGENT</i>	<i>Ad hoc agent assignment</i>	<i>215, 424</i>
<i>ADDRESS</i>	<i>Address</i>	<i>460</i>
<i>APPLICANT</i>	<i>R/3 Applicant for a job vacancy</i>	<i>302</i>
<i>ASBMANAGER</i>	<i>EBP Shopping cart manager</i>	<i>425, 436</i>
<i>ASBMANOFMA</i>	<i>EBP Shopping cart manager of manager</i>	<i>425, 436</i>
<i>ASBMANOFSL</i>	<i>EBP Spending limit manager</i>	<i>436</i>
<i>BBP_PCARD,</i> <i>BBP_PCSTAT</i>	<i>EBP Procurement card/statement</i>	<i>437</i>
<i>BUS1001</i>	<i>R/3 Material</i>	<i>187, 238-239, 242, 245</i>
<i>BUS1006 and derivatives</i>	<i>Business Partner</i>	<i>189, 239, 401, 436</i>
<i>BUS1178</i>	<i>CRM/EBP Product</i>	<i>189, 239, 401</i>
<i>BUS20001 and</i> <i>BUS20001xx derivatives</i>	<i>Business Transaction (CRM)</i>	<i>12, 400, 403, 406</i>
<i>BUS201xxxx</i>	<i>CRM Marketing</i>	<i>401</i>
<i>BUS2012</i>	<i>R/3 Purchase order</i>	<i>435</i>
<i>BUS2032</i>	<i>R/3 Sales Order</i>	<i>196</i>
<i>BUS2081</i>	<i>R/3 Invoice</i>	<i>185</i>
<i>BUS2105</i>	<i>R/3 Purchase Requisition</i>	<i>379</i>
<i>BUS2121</i>	<i>EBP Shopping Cart</i>	<i>417, 422-423, 425, 426</i>



Additional material for „Practical Workflow for SAP“
ISBN 1-59229-006-X


		436
<i>BUS220x</i>	<i>Other CRM/EBP business transactions</i>	401, 436
<i>BUS2203</i>	<i>EBP Confirmation</i>	429
<i>BUS2205</i>	<i>EBP Invoice</i>	429
<i>BUS2300</i>	<i>Product Catalogue</i>	401
<i>BUS4101</i>	<i>CRM/EBP User</i>	425, 437
<i>DECISION</i>	<i>User Decision</i>	468
<i>EVENTITEM</i>	<i>Work item for wait for event step</i>	311
<i>FORM</i>	<i>SAPForms</i>	350
<i>FORMABSENC</i>	<i>Leave of absence demonstration</i>	10, 272, 510
<i>IMAGE</i>	<i>Optically archived document</i>	185
<i>KNA1</i>	<i>R/3 Customer</i>	240, 258
<i>LFA1</i>	<i>R/3 Vendor</i>	189, 239, 442
<i>LFMI</i>	<i>R/3 Purchasing organization vendor</i>	442
<i>REVIEW</i>	<i>Workflow Review</i>	214
<i>SAGENCY</i>	<i>Travel Agency (example object for training)</i>	239, 256
<i>SBOOK</i>	<i>Flight Booking (example object for training)</i>	189, 190, 193, 204, 227-234, 239, 256, 371, 373, 377
<i>SCUSTOMER</i>	<i>Customer (example object for training)</i>	239, 256
<i>SELFITEM</i>	<i>Work item for dialog steps on itself</i>	10, 220, 270-271, 343, 381, 459-460, 462, 467



Additional material for „Practical Workflow for SAP“
ISBN 1-59229-006-X


<i>SOFM</i>	<i>SAP Office document</i>	462
<i>SYSTEM</i>	<i>System utility object type for workflow wizards</i>	10, 251, 271, 292, 458, 471-472, 476
<i>USR01</i>	<i>SAP User</i>	10, 272, 466-467
<i>WF_DOC</i>	<i>Document Template</i>	354-355
<i>WF_TASK</i>	<i>Task as a step in workflow</i>	10, 220, 271
<i>WI_MAILREC</i>	<i>Incoming work item via email</i>	464
<i>WORKINGWI</i>	<i>Work item</i>	466
<i>WORKITEM</i>	<i>Work item</i>	311
<i>XML_DOC</i>	<i>XML Document</i>	326-327

<i>Function module</i>	<i>Description</i>	<i>Pages</i>
<i>B46C_PO_CREATE</i>	<i>Create Purchase Order in R/3 4.6C backend system (EBP)</i>	435
<i>BAPI_PO_CREATE</i>	<i>Create Purchase Order</i>	435
<i>BAPI_USER_EXISTENCE_CHECK</i>	<i>Check user master exists</i>	427
<i>BBP_APPROVER_GET_LIST</i>	<i>Get confirmation/invoice approver (EBP)</i>	429
<i>BBP_DETERMINE_LOGICAL_SYSTEM</i>	<i>Determine backend system to be called (EBP)</i>	426
<i>BBP_READ_ATTRIBUTES</i>	<i>Read organization plan attributes (EBP)</i>	426
<i>END_TIME_DETERMINE</i>	<i>Calculate end date/time with or without a factory calendar</i>	473, 475




Additional material for „Practical Workflow for SAP“
ISBN 1-59229-006-X

<i>LOG_SYSTEM_GET_RFC_DESTINATION</i>	<i>Get RFC destination of a logical system (EBP)</i>	427
<i>HR_EVENT_RULES_PB4000</i>	<i>Determine which events are to be raised for an HR infotype/subtype/operation combination</i>	303
<i>RH_GET_ACTORS</i>	<i>Find agents using an agent determination rule</i>	275, 279, 425, 426, 427, 462, 463
<i>RH_GET_STRUCTURE</i>	<i>Find agents using an HR evaluation path</i>	286, 426
<i>RH_SAP_ORG_OBJEC_RELATE</i>	<i>Update Org Plan assignments</i>	292
<i>RH_TASK_AGENTS_INDEX_REFRESH</i>	<i>Refresh buffers linking tasks to possible agents</i>	131
<i>RH_TASK_INBOX_VIEW_REFRESH</i>	<i>Refresh buffers determining inbox contents</i>	131
<i>RH_WF_OM_INDICES_TIMESTAMP_RFS</i>	<i>Refresh workflow relevant HR buffer timestamp</i>	131
<i>SGOSSUB_CHECK_FB</i>	<i>Check function module for Generic Object Services Subscriptions</i>	316
<i>SAP_WAPI_COUNT_WORKITEMS</i>	<i>WAPI: Count work items for an agent (by task)</i>	366
<i>SAP_WAPI_CREATE_EVENT</i>	<i>WAPI: Create workflow event</i>	366, 368, 370, 371
<i>SAP_WAPI_READ_CONTAINER</i>	<i>WAPI: Read from the container of a work item</i>	367
<i>SAP_WAPI_START_WORKFLOW</i>	<i>WAPI: Start a workflow directly (without triggering event)</i>	366, 368
<i>SAP_WAPI_WORKITEMS_TO_OBJECT</i>	<i>WAPI: Find work items linked to an object</i>	366
<i>SAP_WAPI_WRITE_CONTAINER</i>	<i>WAPI: Write to the container of a work item</i>	367
<i>SGOSSUB_REC_FB_SEND_MAIL</i>	<i>Send notification email for Generic Object Services Subscriptions</i>	316



Additional material for „Practical Workflow for SAP“
ISBN 1-59229-006-X

<i>SO_DOCUMENT_READ_API</i>	<i>Read SAPOffice email</i>	381
<i>SO_DOCUMENT_MOVE_API</i>	<i>Move SAPOffice email to new mail folder</i>	382
<i>SO_NEW_DOCUMENT_SEND_API</i>	<i>Create and send an SAPOffice email</i>	381
<i>SO_NEW_DOCUMENT_ATT_SEND_API</i>	<i>Add attachments to an SAPOffice email</i>	381
<i>SO_OLD_DOCUMENT_SEND_API</i>	<i>Send an existing SAPOffice email</i>	381
<i>SO_USER_READ_API</i>	<i>Get details of SAPOffice user</i>	382
<i>SPOOL_*_CREATE_DO</i>	<i>Retry creation of backend system object (EBP)</i>	432
<i>SWB_CHECK_FB_START_COND_EVAL</i>	<i>Check function module for start conditions</i>	309
<i>SWE_EVENT_CREATE</i>	<i>Generate event</i>	368, 370, 371, 372, 507, 532
<i>SWE_EVENT_CREATE_FOR_UPD_TASK</i>	<i>Generate event (for a create method)</i>	372, 375
<i>SWE_EVENT_CREATE_IN_UPD_TASK</i>	<i>Generate event (in the update task)</i>	372
<i>SWE_EVENT_MAIL</i>	<i>Send notification email of an event</i>	508, 509
<i>SWE_TEMPLATE_CHECK_FB</i>	<i>Template describing the interface of a check function module</i>	373
<i>SWE_TEMPLATE_RECEIVER_TYPE_FB</i>	<i>Template describing the interface of a receiver type function module</i>	377
<i>SWU_OBJECT_PUBLISH</i>	<i>Publish object for Generic Object Services</i>	379
<i>SWX_GET_MANAGER</i>	<i>Find manager of an employee</i>	425



Additional material for „Practical Workflow for SAP“
ISBN 1-59229-006-X

<i>Job</i>	<i>Description</i>	<i>Pages</i>
<i>SWWDHEX</i>	<i>Workflow deadline monitoring</i>	<i>503, 521</i>
<i>SWWERRE</i>	<i>Workflow error monitoring</i>	<i>167, 503, 511</i>
<i>SWEQSRV</i>	<i>Workflow event queue delivery</i>	<i>312, 313</i>

<i>Archiving objects</i>	<i>Description</i>	<i>Pages</i>
<i>WORKITEM</i>	<i>Archive object for work items</i>	<i>169</i>